SEARCH REQUEST FORM

Scientific and Technical Information Center

Art Unit: 1752 Phone: Mail Box and Bldg/Room Locatio	Number 30 57/~ 272~	1332 Serial Number	26 Date: <u>ISNoV. 2004</u> r: <u>10/ 701 448</u> (circle): PAPER DISK E-MAIL
If more than one search is subn	nitted, please priorit	ize searches in orde	or of need.
Please provide a detailed statement of the Include the elected species or structures, utility of the invention. Define any terms known. Please attach a copy of the cover	e search topic, and describe keywords, synonyms, acro that may have a special m	e as specifically as possible onyms, and registry number earning. Give examples of	e the subject matter to be searched.
Title of Invention:		*	
Inventors (please provide full names):	Please	see the atte	refment
Earliest Priority Filing Date:			
For Sequence Searches Only Please inclu appropriate serial number.			
Please search -	for resin of	the genera	l formula (1),
especially with t			IENTIFIC REFERENCE BR Science France, Color
	Thank	gov.	W715
		U	Pat. & T.M. Office
		14	
			•
NOT THAT MUCH OL	THERE	REAL CLOSE	•
STAFF USE ONLY	Type of Search		cost where applicable
Searcher:	NA Sequence (#)	STN	
Searcher Phone #:	AA Sequence (#)	Dialog	
Searcher Location:	Structure (#)	Questel/Orbit	
Date Searcher Picked Up:	Bibliographic	Dr.Link	
Searcher Prep & Review Time:	Litigation	Lexis/Nexis	
Clerical Prep Time:	Patent Family	Sequence Systems WWW/Internet	
Online Time:	Other	Other (specify)	

DTO 1500 (0 01)

1270.43264X00

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicants:

H. KOMATSU

Application No.:

10/701,448

Filed:

November 6, 2003

For:

PHOTOSENSITIVE RESIN COMPOSITION, PROCESS FOR

FORMING RELIEF PATTERN, AND ELECTRONIC

COMPONENT

Art Unit:

1752

Examiner:

H. Le

RESPONSE

Mail Stop Amendment Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

October 12, 2004:

Sir:

The Office Action mailed September 10, 2004, in connection with the above-identified application, is noted. In this Office Action mailed September 10, 2004, the Examiner has required an election of a single disclosed chemical structure species for the general formula (1) set forth in claim 1, for initiation of a search. In connection therewith, the Examiner has required Applicant "to precisely disclose the elected chemical structure with (1) all bonding connections between and among all chemical ingredients and (2) listing of all chemical elements and their positions in the elected chemical structure".

In response thereto, and thus as the species elected, represented by the general formula (1) of claim 1, the following polymer (heat-resistant polymer (I)) is elected:

It is respectfully submitted that the foregoing structural formula provides all bonding connections between and among all chemical ingredients, and qualifies as a listing of all chemical elements and their positions in the elected chemical structure. Accordingly, it is respectfully submitted that the above-indicated heat-resistant polymer (I), being elected in response to the Office Action mailed September 10, 2004, provides a complete response thereto.

The indication by the Examiner that no restriction requirement is being made, in the Office Action mailed September 10, 2004, is noted. It is also to be noted that the Examiner has indicated that when claim 1 is found to be allowable over prior art, claims directed to a process for forming a relief pattern (claim 11) and to an electronic component or device (claims 12 and 13) will be allowed in the present application. It is respectfully submitted that there is no need for Applicant to respond to contentions by the Examiner in Item E on page 3 of the Office Action mailed September 10, 2004.

As an aside, statements by the Examiner in Item E on page 3 of the Office Action mailed September 10, 2004, are noted. In particular, it is noted that the Examiner initially refers to species, but in the last sentence in Item E states that in the absence of convincing evidence, the "restriction" would not be removed. It is respectfully submitted, however, that <u>no</u> restriction requirement has been made in the Office Action mailed September 10, 2004. Note Item D on page 3 of



the Office Action mailed September 10, 2004. It is respectfully requested that the Examiner clarify the record, and indicate that the "election-of-species" requirement would not be removed in "the absence of convincing evidence", if this is the intent of Item E on page 3 of the Office Action mailed September 10, 2004.

In view of all of the foregoing, Applicant respectfully elects the above-indicated species of heat-resistant polymer (I) "for a precise consideration and search", and respectfully requests examination of the above-identified application on the merits in due course. Upon allowance of subject matter including the above-indicated species, examination of the composition including the heat-resistant polymer represented by general formula (1), and consideration and allowance of all claims presently in the application, are respectfully requested.

Please charge any shortage in fees due in connection with the filing of this paper, including extension of time fees, to the Antonelli, Terry, Stout & Kraus, LLP Deposit Account No. 01-2135 (Docket No. 1270.43264X00), and please credit any excess fees to such Deposit Account.

Respectfully submitted,

ANTONELLI, TERRY, STOUT & KRAUS, LLP

William I. Solomon Reg. No. 28,565

1300 North Seventeenth Street, Suite 1800


Arlington, Virginia 22209

Telephone: (703) 312-6600 Facsimile: (703) 312-6666

WIS/sjg

WHAT IS CLAIMED IS:

- A photosensitive resin composition comprising:
 - (A) a heat-resistant polymer represented by general formula (1)



- (B) a photoreactive compound; and
- (C) a solvent.

2. The photosensitive resin composition according to claim 1, wherein at east one of the organic groups X and Y is an aromatic group.

3. The photosensitive resin composition according to claim 1, wherein the cyclic compound group Z is a compound group having an alicyclic structure.

- 4. The photosensitive resin composition according to claim 2, wherein the cyclic compound group Z is a compound group having an alicyclic structure.
- 5. The photosensitive resin composition according to claim 3, wherein the compound group having an alicyclic structure has 3 or 4 carbon atoms.
 - 6. The photosensitive resin composition according to claim 4, wherein the compound group having an alicyclic structure has 3 or 4 carbon atoms.

10

- 7. The photosensitive resin composition according to claim 1, wherein the divalent organic group represented by X comprises at least one divalent group derived from 3-fluoroisophthalic acid, 2-fluoroisophthalic acid, 3-fluorophthalic acid, 2-fluorophthalic acid, 2,4,5,6-tetrafluoroisophthalic acid,
- 15 3,4,5,6-tetrafluorophthalic acid,
 - 4,4'-hexafluoroisopropylidenediphenyldicarboxylic acid, perfluorosuberic acid, 2,2'-bis(trifluoromethyl)-4,4'-biphenylenedicarboxylic acid, terephthalic acid, isophthalic acid, 4,4'-oxydiphenyldicarboxylic acid, 5-nitroisophthalic acid,
 - 1,4-naphthalenedicarboxylic acid, 2,6-naphthalenedicarboxylic acid, and
- 20 4,4'-biphenyldicarboxylic acid.
 - 8. The photosensitive resin composition according to claim 1, wherein the tetravalent organic group represented by Y comprises at least one divalent group derived from 4,4'-diamino-3,3'-dihydroxybiphenyl,
- 25 2,2'-bis(3-amino-4-hydroxyphenyl)propane, and

2,2'-bis(3-amino-4-hydroxyphenyl)hexafluoropropane.

5

- 9. The photosensitive resin composition according to claim 1, wherein Z comprises at least one group selected from the group consisting of cyclopropyl, cyclobutyl, 2-phenyl-1-cyclopropyl, 1-phenyl-1-cyclopropyl, 1-benzocyclobutenyl, 2-methylcyclopropenyl, 1-hydroxy-1-cyclopropyl, 1-carboxy-1-cyclopropyl, and 1-carboxy-1-cyclobutyl.
- 10. The photosensitive resin composition according to claim 1, wherein the heat-resistant polymer has a weight average molecular weight in the range of 5,000 to 80,000.
- A process for forming a relief pattern, comprising:
 applying the photosensitive resin composition according to claim 1 to
 a support substrate and drying the composition applied to form a photosensitive resin film;

subjecting the dried photosensitive resin film to exposure;
subjecting the exposed photosensitive resin film to development using an alkaline aqueous solution; and

- subjecting the developed photosensitive resin film to heating treatment.
 - 12. An electronic component having an electronic device including at least an interlayer dielectric film layer and a surface protecting film layer,
- wherein at least one of the interlayer dielectric film layer and the

surface protecting film layer comprises a resin film formed from the photosensitive resin composition according to claim 1.

- 13. The electronic device according to claim 12, wherein the resin film
- 5 comprises a patterned film formed by the process according to claim 11.



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Vignis 22313-1450 www.urplo.gov

BIBDATASHEET

Bib Data Sheet

CONFIRMATION NO. 7624

SERIAL NUMBER 10/701,448	FILING DATE 11/06/2003 RULE		CLASS 430	GROUP AR 1752			ATTORNEY DOCKET NO. X00				
APPLICANTS											
Hiroshi Komatsu, Ibaraki, JAPAN;											
"CONTINUING DATA "											
** FOREIGN APPLICATIONS ************************************											
IF REQUIRED, FOREIGN FILING LICENSE GRANTED ** 02/04/2004											
Foreign Priority claimed 35 USC 119 (a-d) conditions met	yes no Met afte	t	STATE OR	SHEETS	TOTA	۱L	INDEPENDENT				
	Allowance		COUNTRY JAPAN	DRAWING 1	CLAIM 13	1S	CLAIMS 1				
ADDRESS 020457 ANTONELLI, TERRY, STOUT & KRAUS, LLP 1300 NORTH SEVENTEENTH STREET SUITE 1800 ARLINGTON, VA 22209-9889											
TITLE Photosensitive resin composition, process for forming relief pattern, and electronic component											
FEES: Authority has been given in Paper No to charge/credit DEPOSIT ACCOUNT No for following: RECEIVED All Fees 1.16 Fees (Filing) 1.17 Fees (Processing Ext. of time) 1.18 Fees (Issue)											

```
=> file reg
FILE 'REGISTRY'
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2004 American Chemical Society (ACS)
```

=> d his

```
FILE 'HCAPLUS'
L1
           1785 S KOMATSU H?/AU
L2
           27174 S PHOTOSENS?/TI
L3
              19 S L1 AND L2
                 SEL L3 1-19 RN
     FILE 'REGISTRY'
L4
            139 S E1-E139
L6
             61 S L4 AND PMS/CI
     FILE 'HCAPLUS'
                SEL L3 2 RN
     FILE 'REGISTRY'
L7
             10 S E140-E149
               SEL L7 1 RN
\Gamma8
              1 S E150
     FILE 'HCA'
L9
           1 S L8
     FILE 'REGISTRY'
                SEL L7 4 RN
L10
              1 S E151
                SEL L7 7,8 RN
L11
              2 S E152-E153
     FILE 'HCA'
L12
           36 S L10
L13
          1545 S L11
L14
           1 S L12 AND L13
     FILE 'LREGISTRY'
L15
                STR
L16
                STR
L17
                STR
```

FILE 'REGISTRY'

```
L18
              SCR 2043
          3 S L16 AND L17 AND L18
 L19
 L20
           1650 S L16 AND L17 AND L18 FUL
              SAV L20 LE448/A
             1 S L15 SSS SAM SUB=L20
 L21
 L22
            18 S L15 SSS FUL SUB=L20
               SAV L22 LE448A/A
     FILE 'HCA'
 L23
      12 S L22
     FILE 'REGISTRY'
L24
        1632 S L20 NOT L22
     FILE 'HCA'
L25
          861 S L24
L26
            1 S (L12 OR L25) AND L13
     FILE 'REGISTRY'
L27
     7 POLYLINK L10
     FILE 'HCA'
L28
     99 S L27
L29
            1 S L28 AND L13
     FILE 'REGISTRY'
L30
     1982 POLYLINK L24
     FILE 'HCA'
     987 S L30
1 S L31 AND L13
L31
L32
     FILE 'REGISTRY'
L33
          STR L15
L34
      25 S L33
    FILE 'LREGISTRY'
L35
            STR
    FILE 'REGISTRY'
L36
           42 S L35
L37
              SCR 1380 OR 1526
L38
           42 S L35 AND L37
L39
              SCR 1034
L40
           50 S L35 AND L37 AND L39
L41
           50 S L35 AND L15 AND L37 AND L39
        11862 S L35 AND L15 AND L37 AND L39 FUL
L42
              SAV TEM L42 LE448B/A
```

```
L43
         3 S L42 AND L20
      FILE 'HCA'
 L44
            2 S L43
      FILE 'REGISTRY'
 L45
            3 POLYLINK L43
      FILE 'HCA'
 L46
           10846 S L42
 L47
              3 S L46 AND (L28 OR L31)
              13 S L9 OR L14 OR L23 OR L26 OR L29 OR L32 OR L44 OR L47
 L48
      FILE 'REGISTRY'
=> d 122 que stat
L15
                 STR
     0
NODE ATTRIBUTES:
DEFAULT MLEVEL IS ATOM
GGCAT
        IS SAT AT 1
DEFAULT ECLEVEL IS LIMITED
GRAPH ATTRIBUTES:
RING(S) ARE ISOLATED OR EMBEDDED
NUMBER OF NODES IS 3
STEREO ATTRIBUTES: NONE
L16
                 STR
 11
                12
 0
1^{\circ} Cb \sim G1 \sim G2 \sim C \sim 5
                           Cb @8
REP G1 = (0-3) A
REP G2 = (0-1) 8
NODE ATTRIBUTES:
DEFAULT MLEVEL IS ATOM
```

GGCAT IS UNS AT

GGCAT IS UNS AT 8
DEFAULT ECLEVEL IS LIMITED

GRAPH ATTRIBUTES:
RING(S) ARE ISOLATED OR EMBEDDED
NUMBER OF NODES IS 8

STEREO ATTRIBUTES: NONE L17 STR

REP G1=(0-3) A
NODE ATTRIBUTES:
DEFAULT MLEVEL IS ATOM
GGCAT IS UNS AT 2
GGCAT IS UNS AT 4
DEFAULT ECLEVEL IS LIMITED

GRAPH ATTRIBUTES:

RING(S) ARE ISOLATED OR EMBEDDED NUMBER OF NODES IS 7

STEREO ATTRIBUTES: NONE

L18

SCR 2043

L20

1650 SEA FILE=REGISTRY SSS FUL L16 AND L17 AND L18

L22 18 SEA FILE=REGISTRY SUB=L20 SSS FUL L15

100.0% PROCESSED

1650 ITERATIONS

SEARCH TIME: 00.00.01

18 ANSWERS

=> file hca FILE 'HCA' USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT. PLEASE SEE "HELP USAGETERMS" FOR DETAILS. COPYRIGHT (C) 2004 AMERICAN CHEMICAL SOCIETY (ACS)

=> d 148 1-13 cbib abs hitstr hitrn

L48 ANSWER 1 OF 13 HCA COPYRIGHT 2004 ACS on STN 141:197145 Polyamides for precursors of polybenzoxazole optical

waveguides with low transmission loss. Miyao, Kenji (Sumitomo Bakelite Co., Ltd., Japan). Jpn. Kokai Tokkyo Koho JP 2004224900 A2 20040812, 26 pp. (Japanese). CODEN: JKXXAF. APPLICATION: JP 2003-14064 20030122.

The polyamides have repeating units of ZCO[NHX(OR1)(OR2)NHCOYCO]mNHX (OR3)(OR4)NHCOZ (R1-R4 = H, monovalent org. group; X = tetravalent org. group; Y = divalent org. group contg. ethynyl group, biphenylene group, etc.; Z = monovalent org. group; 0 < m .ltoreq. 1000). The polyamides are made into optical waveguides without crack formation.

TT 737829-37-7DP, terminated with 5-norbornene-2,3-dicarboxylic anhydride

(crosslinked; polyamides for precursors of polybenzoxazole optical waveguides with low transmission loss)

RN 737829-37-7 HCA

CN 1,3-Benzenedicarbonyl dichloride, 5-ethynyl-, polymer with 1,4-cyclohexanedicarbonyl dichloride, 4,4'-oxybis[benzoyl chloride] and 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]bis[2-aminophenol] (9CI) (CA INDEX NAME)

CM 1

CRN 393543-05-0 CMF C10 H4 C12 O2

CM 2

CRN 83558-87-6 CMF C15 H12 F6 N2 O2

$$CF_3$$
 CF_3
 CF_3
 CH_2
 CH_2

CRN 13170-66-6 CMF C8 H10 C12 O2

CM 4

CRN 7158-32-9 CMF C14 H8 C12 O3

737829-37-7DP, terminated with 5-norbornene-2,3-dicarboxylic anhydride

(crosslinked; polyamides for precursors of polybenzoxazole optical waveguides with low transmission loss)

L48 ANSWER 2 OF 13 HCA COPYRIGHT 2004 ACS on STN
141:148090 Photosensitive resin composition, process for forming relief pattern, and electronic component. (Komatsu, Hiroshi (Japan). U.S.

Page 7

Pat. Appl. Publ. US-2004142275 A1 20040722, 10 pp. (English). CODEN: USXXCO. APPLICATION: US 2003-701448 20031106. PRIORITY: JP 2002-322700 20021106; JP 2003-11888 20030121.

GΙ

$$Z \xrightarrow{\bigcirc} NH \xrightarrow{Y} NH \xrightarrow{Q} NH \xrightarrow{$$

Ι

AB A photosensitive resin compn. is disclosed that includes (A) a heat-resistant polymer of I (X =divalent org. group; Y = tetravalent org. group; Z =cyclic compd. group free of reactive unsatd. bonds; R = H, monovalent org. group; n = 2-500), (B) a photoreactive compd., and (C) a solvent. A relief pattern is formed from the compn. by applying the compn. to a support substrate and drying it to form a photosensitive resin film; exposing the dried film; developing the exposed film using an alk. aq. soln.; and heating the developed photosensitive resin film. Also disclosed is an electronic component that includes an electronic device having such a pattern.

1T 4023-34-1DP, Cyclopropanecarbonyl chloride, reaction product with hydroxy-contg. polyamides 5006-22-4DP,

With hydroxy-contg. polyamides 5006-22-4DP, Cyclobutanecarbonyl chloride, reaction product with hydroxy-contg. polyamides 112492-60-1DP, cycloalkyl- or acryloylamide derivs. 340819-84-3P 726180-89-8P

(photosensitive resin compn. for forming relief pattern and electronic component contg.)

RN 4023-34-1 HCA

CN Cyclopropanecarbonyl chloride (6CI, 7CI, 8CI, 9CI) (CA INDEX NAME)

RN 5006-22-4 HCA

CN Cyclobutanecarbonyl chloride (6CI, 7CI, 8CI, 9CI) (CA INDEX NAME)

RN 112492-60-1 HCA

CN Benzoic acid, 4,4'-oxybis-, polymer with 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]bis[2-aminophenol] (9CI) (CA INDEX NAME)

CM 1

CRN 83558-87-6 CMF C15 H12 F6 N2 O2

CM 2

CRN 2215-89-6 CMF C14 H10 O5

RN 340819-84-3 HCA

CN Benzoic acid, 4,4'-oxybis-, polymer with 2,5-furandione and 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]bis[2-aminophenol] (9CI) (CA INDEX NAME)

CM 1

CRN 83558-87-6

CMF C15 H12 F6 N2 O2

$$CF_3$$
 CF_3
 CF_3
 OH
 NH_2
 NH_2

CM 2

CRN 2215-89-6 CMF C14 H10 O5

CM 3

CRN 108-31-6 CMF C4 H2 O3

RN 726180-89-8 HCA

CN Benzoic acid, 4,4'-oxybis-, polymer with 3-oxabicyclo[3.1.0]hexane-2,4-dione and 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]bis[2-aminophenol] (9CI) (CA INDEX NAME)

CM 1

CRN 83558-87-6 CMF C15 H12 F6 N2 O2

CRN 5617-74-3 CMF C5 H4 O3

CM 3

CRN 2215-89-6 CMF C14 H10 O5

- L48 ANSWER 3 OF 13 HCA COPYRIGHT 2004 ACS on STN 140:347173 Positive type photosensitive plastic material for making optical waveguide. Miyao, Kenji (Sumitomo Bakelite Co., Ltd., Japan). Jpn. Kokai Tokkyo Koho JP 2004118123 A2 20040415, 25 pp.

(Japanese). CODEN: JKXXAF. APPLICATION: JP 2002-284534 20020927.

The invention relates to a pos.-type photosensitive plastic material for making an optical waveguide, esp. suited for use in making a cladding layer, comprising 1-100 parts of photosensitive diazoquinones and 100 parts of the polyamide represented by I [R1-4 = H or monovalent org. group; X = tetravalent org. group; Y = divalent org. group; and E = monovalent org. group; 0 < m .ltoreq. 1000].

29186-74-1DP, terminated by maleic acid anhydride ΙT 29186-76-3DP, terminated by perfluorobenzoic acid chloride 29186-77-4DP, terminated by 5-norbornane-2,3-dicarboxylic acid anhydride 29791-91-1DP, terminated by maleic acid anhydride 37165-14-3DP, terminated by 3,5trifluoromethylbenzoic acid chloride 112492-59-8DP, 2,2-Bis(3-amino-4-hydroxyphenyl)hexafluoropropane-isophthalic acid chloride copolymer, terminated by 5-norbornane-2,3-dicarboxylic acid anhydride 174407-77-3DP, terminated by 5-norbornane-2,3-dicarboxylic acid anhydride 257280-04-9DP , terminated by 5-norbornane-2,3-dicarboxylic acid anhydride 500372-81-6DP, terminated by 5-norbornane-2,3-dicarboxylic acid anhydride 680619-85-6P 680619-94-7P 680619-96-9P 680619-97-0P 680619-98-1P 680619-99-2P 680620-00-2P 680620-01-3P 680620-02-4P 680620-03-5P 680620-04-6P 680620-05-7P 680620-06-8P 680620-07-9P 680620-08-0P 680620-15-9P 680620-16-0P 680620-17-1P 680620-18-2DP, perfluorobenzoic acid chloride-terminated 680620-19-3DP, 3,5trifluoromethylbenzoic acid chloride-terminated 680620-21-7P 680620-22-8P 680620-23-9P 680620-24-0P 680620-25-1DP, terminated by 3,5-trifluoromethylbenzoic acid chloride 680620-26-2P 680620-27-3P

680620-28-4P 680620-29-5DP, terminated by 5-norbornane-2,3-dicarboxylic acid anhydride 680620-30-8DP , terminated by 5-norbornane-2,3-dicarboxylic acid anhydride 680620-31-9DP, terminated by 5-norbornane-2,3-dicarboxylic acid anhydride 680620-32-0DP, terminated by 5-norbornane-2,3-dicarboxylic acid anhydride 680620-33-1DP , terminated by 5-norbornane-2,3-dicarboxylic acid anhydride 680620-34-2DP, terminated by 5-norbornane-2,3-dicarboxylic acid anhydride 680620-35-3DP, terminated by 5-norbornane-2,3-dicarboxylic acid anhydride 680620-36-4P 680620-37-5P 680620-38-6P 680620-39-7DP, terminated by 5-norbornane-2,3-dicarboxylic acid anhydride 680620-40-ODP, terminated by 5-norbornane-2,3-dicarboxylic acid anhydride 680620-41-1DP, terminated by 5-norbornane-2,3-dicarboxylic acid anhydride 680620-42-2DP , terminated by 5-norbornane-2,3-dicarboxylic acid anhydride 748806-62-4DP, terminated by perfluorobenzoic acid chloride (pos. type photosensitive plastic material for making optical waveguide)

RN

29186-74-1 HCA

CN 1,3-Benzenedicarbonyl dichloride, polymer with 4,4'-sulfonylbis[2-aminophenol] (9CI) (CA INDEX NAME)

CM 1

CRN 7545-50-8 CMF C12 H12 N2 O4 S

CM 2

CRN 99-63-8 CMF C8 H4 C12 O2

RN 29186-76-3 HCA

CN 1,3-Benzenedicarbonyl dichloride, polymer with 4,4'-(1-methylethylidene)bis[2-aminophenol] (9CI) (CA INDEX NAME)

CM 1

CRN 1220-78-6 CMF C15 H18 N2 O2

CM 2

CRN 99-63-8 CMF C8 H4 Cl2 O2

RN 29186-77-4 HCA

CN 1,3-Benzenedicarbonyl dichloride, polymer with 4,4'-oxybis[2-aminophenol] (9CI) (CA INDEX NAME)

CM 1

CRN 6423-17-2

CMF C12 H12 N2 O3

$$_{\mathrm{NH}_{2}}^{\mathrm{O}}$$
 $_{\mathrm{NH}_{2}}^{\mathrm{OH}}$

CM 2

CRN 99-63-8 CMF C8 H4 Cl2 O2

RN 29791-91-1 HCA

CN 1,3-Benzenedicarbonyl dichloride, polymer with 3,3'-diamino[1,1'-biphenyl]-4,4'-diol (9CI) (CA INDEX NAME)

CM 1

CRN 4194-40-5 CMF C12 H12 N2 O2

CM 2

CRN 99-63-8 CMF C8 H4 C12 O2

RN 37165-14-3 HCA

CN 1,3-Benzenedicarbonyl dichloride, polymer with 4,4'-methylenebis[2-aminophenol] (9CI) (CA INDEX NAME)

CM 1

CRN 16523-28-7 CMF C13 H14 N2 O2

$$CH_2$$
 OH NH_2 NH_2

CM 2

CRN 99-63-8 CMF C8 H4 Cl2 O2

RN 112492-59-8 HCA

CN 1,3-Benzenedicarbonyl dichloride, polymer with 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]bis[2-aminophenol] (9CI) (CA INDEX NAME)

CM 1

CRN 83558-87-6

CMF C15 H12 F6 N2 O2

CM 2

CRN 99-63-8 CMF C8 H4 Cl2 O2

RN 174407-77-3 HCA

CN 1,3-Benzenedicarbonyl dichloride, polymer with 4,4'-oxybis[2-aminophenol] and 4,4'-oxybis[benzoyl chloride] (9CI) (CA INDEX NAME)

CM 1

CRN 7158-32-9 CMF C14 H8 C12 O3

CM 2

CRN 6423-17-2 CMF C12 H12 N2 O3

CRN 99-63-8 CMF C8 H4 Cl2 O2

RN 257280-04-9 HCA

CN 1,3-Benzenedicarbonyl dichloride, polymer with 4,4'-oxybis[benzoyl chloride] and 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]bis[2-aminophenol] (9CI) (CA INDEX NAME)

CM 1

CRN 83558-87-6 CMF C15 H12 F6 N2 O2

$$CF_3$$
 CF_3
 CF_3
 OH
 NH_2
 NH_2

CM 2

CRN 7158-32-9 CMF C14 H8 C12 O3

CRN 99-63-8 CMF C8 H4 Cl2 O2

RN 500372-81-6 HCA

CN Benzoyl chloride, 4,4'-oxybis-, polymer with 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]bis[2-aminophenol] and 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]bis[benzoyl chloride] (9CI) (CA INDEX NAME)

CM 1

CRN 83558-87-6 CMF C15 H12 F6 N2 O2

CM 2

CRN 7158-32-9 CMF C14 H8 C12 O3

CRN 1102-92-7 CMF C17 H8 C12 F6 O2

RN 680619-85-6 HCA

CN 1,3-Benzenedicarbonyl dichloride, polymer with 3a,4,7,7a-tetrahydro-4,7-methanoisobenzofuran-1,3-dione and 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]bis[2-aminophenol] (9CI) (CA INDEX NAME)

CM 1

CRN 83558-87-6 CMF C15 H12 F6 N2 O2

$$CF_3$$
 CF_3
 OH
 NH_2
 NH_2

CM 2

CRN 826-62-0 CMF C9 H8 O3

CRN 99-63-8 CMF C8 H4 C12 O2

RN 680619-94-7 HCA

CN 1,3-Benzenedicarbonyl dichloride, polymer with 4,4'-oxybis[2-aminophenol] and 3a,4,7,7a-tetrahydro-4,7-methanoisobenzofuran-1,3-dione (9CI) (CA INDEX NAME)

CM 1

CRN 6423-17-2 CMF C12 H12 N2 O3

CM 2

CRN 826-62-0 CMF C9 H8 O3

CRN 99-63-8 CMF C8 H4 C12 O2

RN 680619-96-9 HCA

CN 1,3-Benzenedicarbonyl dichloride, polymer with 2,5-furandione and 4,4'-sulfonylbis[2-aminophenol] (9CI) (CA INDEX NAME)

CM 1

CRN 7545-50-8 CMF C12 H12 N2 O4 S

CM 2

CRN 108-31-6 CMF C4 H2 O3

CRN 99-63-8 CMF C8 H4 C12 O2

RN 680619-97-0 HCA

CN 1,3-Benzenedicarbonyl dichloride, polymer with 3,3'-diamino[1,1'-biphenyl]-4,4'-diol and 2,5-furandione (9CI) (CA INDEX NAME)

CM 1

CRN 4194-40-5 CMF C12 H12 N2 O2

CM 2

CRN 108-31-6 CMF C4 H2 O3

CRN 99-63-8 CMF C8 H4 C12 O2

RN 680619-98-1 HCA

CN Poly[thio(4-hydroxy-1,3-phenylene)iminocarbonyl-1,3-phenylenecarbonylimino(6-hydroxy-1,3-phenylene)],
.alpha.-[4-hydroxy-3-[(pentafluorobenzoyl)amino]phenyl]-.omega.-[[4-hydroxy-3-[(pentafluorobenzoyl)amino]phenyl]thio]- (9CI) (CA INDEX NAME)

PAGE 1-A

PAGE 1-B

RN 680619-99-2 HCA

CN Poly[iminocarbonyl-1,3-phenylenecarbonylimino(6-hydroxy-1,3-phenylene)(1-methylethylidene)(4-hydroxy-1,3-phenylene)],
.alpha.-[2-hydroxy-5-[1-[4-hydroxy-3-[(pentafluorobenzoyl)amino]phenyl]-1-methylethyl]phenyl]-.omega.-[(pentafluorobenzoyl)amino]- (9CI)
(CA INDEX NAME)

PAGE 1-A

HO_

PAGE 1-B

RN 680620-00-2 HCA

CN 1,3-Benzenedicarbonyl dichloride, polymer with 3,3'-diamino[1,1'-biphenyl]-4,4'-diol, 4,4'-oxybis[benzoyl chloride] and 3a,4,7,7a-tetrahydro-4,7-methanoisobenzofuran-1,3-dione (9CI) (CAINDEX NAME)

CM 1

CRN 7158-32-9

CMF C14 H8 C12 O3

CRN 4194-40-5 CMF C12 H12 N2 O2

$$_{\mathrm{NH_{2}}}^{\mathrm{OH}}$$

CM 3

CRN 826-62-0 CMF C9 H8 O3

CM 4

CRN 99-63-8 CMF C8 H4 Cl2 O2

RN 680620-01-3 HCA

CN Benzoyl chloride, 4,4'-oxybis-, polymer with 4,4'sulfonylbis[benzoyl chloride], 3a,4,7,7a-tetrahydro-4,7methanoisobenzofuran-1,3-dione and 4,4'-[2,2,2-trifluoro-1(trifluoromethyl)ethylidene]bis[2-aminophenol] (9CI) (CA INDEX
NAME)

CM 1

CRN 83558-87-6 CMF C15 H12 F6 N2 O2

$$CF_3$$
 CF_3
 OH
 NH_2
 NH_2

CM 2

CRN 7158-32-9 CMF C14 H8 C12 O3

CM 3

CRN 4462-61-7

CMF C14 H8 C12 O4 S

CM 4

CRN 826-62-0 CMF C9 H8 O3

RN 680620-02-4 HCA

CN [1,1'-Biphenyl]-4,4'-dicarbonyl dichloride, polymer with 4,4'-oxybis[benzoyl chloride], 3a,4,7,7a-tetrahydro-4,7-methanoisobenzofuran-1,3-dione and 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]bis[2-aminophenol] (9CI) (CA INDEX NAME)

CM 1

CRN 83558-87-6 CMF C15 H12 F6 N2 O2 (

$$CF_3$$
 CF_3
 CF_3

CM 2

CRN 7158-32-9 CMF C14 H8 C12 O3

CM 3

CRN 2351-37-3 CMF C14 H8 C12 O2

CM 4

CRN 826-62-0 CMF C9 H8 O3

RN 680620-03-5 HCA

CN Benzoyl chloride, 4,4'-(1-methylethylidene)bis-, polymer with 4,4'-oxybis[benzoyl chloride], 3a,4,7,7a-tetrahydro-4,7-methanoisobenzofuran-1,3-dione and 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]bis[2-aminophenol] (9CI) (CA INDEX NAME)

CM 1

CRN 83558-87-6 CMF C15 H12 F6 N2 O2

$$CF_3$$
 CF_3
 CF_3

CM 2

CRN 19855-84-6 CMF C17 H14 C12 O2

$$\begin{array}{c|c} & \text{Me} \\ \hline \\ \text{C1-C} \\ \hline \\ \text{O} \\ \end{array}$$

- CM 3

CRN 7158-32-9 CMF C14 H8 C12 O3

CM 4

CRN 826-62-0 CMF C9 H8 O3

RN 680620-04-6 HCA

CN Benzoyl chloride, 4,4'-methylenebis-, polymer with 4,4'-oxybis[benzoyl chloride], 3a,4,7,7a-tetrahydro-4,7-methanoisobenzofuran-1,3-dione and 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]bis[2-aminophenol] (9CI) (CA INDEX NAME)

CM 1

CRN 83558-87-6 CMF C15 H12 F6 N2 O2

CM 2

CRN 7158-32-9 CMF C14 H8 C12 O3

CM 3

CRN 3268-26-6 CMF C15 H10 C12 O2

CRN 826-62-0 CMF C9 H8 O3

RN 680620-05-7 HCA

CN Benzoyl chloride, 4,4'-oxybis-, polymer with 3,3'-[1,3-phenylenebis(oxy)]bis[benzoyl chloride], 3a,4,7,7a-tetrahydro-4,7-methanoisobenzofuran-1,3-dione and 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]bis[2-aminophenol] (9CI) (CA INDEX NAME)

CM 1

CRN 83558-87-6 CMF C15 H12 F6 N2 O2

$$CF_3$$
 CF_3
 CF_3
 OH
 NH_2
 NH_2

CM 2

CRN 74294-29-4

CMF C20 H12 C12 O4

CM 3

CRN 7158-32-9 CMF C14 H8 C12 O3

CM 4

CRN 826-62-0 CMF C9 H8 O3

RN 680620-06-8 HCA

CN [1,1':4',1'':4'',1'''-Quaterphenyl]-4,4'''-dicarbonyl dichloride, polymer with 4,4'-oxybis[benzoyl chloride], 3a,4,7,7a-tetrahydro-4,7-methanoisobenzofuran-1,3-dione and 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]bis[2-aminophenol] (9CI) (CA INDEX NAME)

CM 1

CRN 83558-87-6

CMF C15 H12 F6 N2 O2

$$CF_3$$
 CF_3
 CF_3

CM 2

CRN 55586-27-1 CMF C26 H16 Cl2 O2

CM 3

CRN 7158-32-9 CMF C14 H8 C12 O3

CM 4

CRN 826-62-0 CMF C9 H8 O3

RN 680620-07-9 HCA

CN 1,3-Benzenedicarbonyl dichloride, polymer with 4,4'-oxybis[benzoyl chloride], 3a,4,7,7a-tetrahydro-4,7-methanoisobenzofuran-1,3-dione and 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]bis[2-aminophenol] (9CI) (CA INDEX NAME)

CM 1

CRN 83558-87-6 CMF C15 H12 F6 N2 O2

HO
$$CF_3$$
 CF_3 OH NH_2 NH_2

CM 2

CRN 7158-32-9 CMF C14 H8 C12 O3

CM 3

CRN 826-62-0 CMF C9 H8 O3

CRN 99-63-8 CMF C8 H4 Cl2 O2

RN 680620-08-0 HCA

CN Benzoyl chloride, 4,4'-oxybis-, polymer with 3a,4,7,7a-tetrahydro-4,7-methanoisobenzofuran-1,3-dione, 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]bis[2-aminophenol] and 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]bis[benzoyl chloride] (9CI) (CA INDEX NAME)

CM 1

CRN 83558-87-6 CMF C15 H12 F6 N2 O2

HO
$$CF_3$$
 CF_3 OH NH_2 NH_2

CM 2

CRN 7158-32-9

CMF C14 H8 C12 O3

CM 3

CRN 1102-92-7 CMF C17 H8 C12 F6 O2

CM 4

CRN 826-62-0 CMF C9 H8 O3

RN 680620-15-9 HCA

CN 1,3-Benzenedicarbonyl dichloride, polymer with 4,4'-oxybis[2-aminophenol], 4,4'-oxybis[benzoyl chloride] and 3a,4,7,7a-tetrahydro-4,7-methanoisobenzofuran-1,3-dione (9CI) (CA INDEX NAME)

CM 1

CRN 7158-32-9 CMF C14 H8 C12 O3

CRN 6423-17-2 CMF C12 H12 N2 O3

$$_{\mathrm{NH}_{2}}^{\mathrm{O}}$$
 $_{\mathrm{NH}_{2}}^{\mathrm{OH}}$

CM 3

CRN 826-62-0 CMF C9 H8 O3

CM 4

CRN 99-63-8 CMF C8 H4 C12 O2

RN 680620-16-0 HCA

CN 1,3-Benzenedicarbonyl dichloride, polymer with 4,4'-oxybis[benzoyl chloride], 4,4'-sulfonylbis[2-aminophenol] and 3a,4,7,7a-tetrahydro-4,7-methanoisobenzofuran-1,3-dione (9CI) (CA INDEX NAME)

CM 1

CRN 7545-50-8 CMF C12 H12 N2 O4 S

CM 2

CRN 7158-32-9 CMF C14 H8 C12 O3

CM 3

CRN 826-62-0 CMF C9 H8 O3

CRN 99-63-8 CMF C8 H4 Cl2 O2

RN 680620-17-1 HCA

CN 1,3-Benzenedicarbonyl dichloride, polymer with 3,3'-diamino[1,1'-biphenyl]-4,4'-diol, 2,5-furandione and 4,4'-oxybis[benzoyl chloride] (9CI) (CA INDEX NAME)

CM 1

CRN 7158-32-9 CMF C14 H8 C12 O3

CM 2

CRN 4194-40-5 CMF C12 H12 N2 O2

CRN 108-31-6 CMF C4 H2 O3

CM 4

CRN 99-63-8 CMF C8 H4 C12 O2

RN 680620-18-2 HCA

CN 1,3-Benzenedicarbonyl dichloride, polymer with 4,4'-(1-methylethylidene)bis[2-aminophenol] and 4,4'-oxybis[benzoyl chloride] (9CI) (CA INDEX NAME)

CM 1

CRN 7158-32-9 CMF C14 H8 C12 O3

CRN 1220-78-6 CMF C15 H18 N2 O2

$$\begin{array}{c|c} \text{Me} \\ \hline \\ \text{HO} \\ \hline \\ \text{NH}_2 \\ \hline \\ \text{NH}_2 \\ \hline \\ \text{OH} \\ \end{array}$$

CM 3

CRN 99-63-8 CMF C8 H4 Cl2 O2

RN 680620-19-3 HCA

CN 1,3-Benzenedicarbonyl dichloride, polymer with 4,4'-methylenebis[2-aminophenol] and 4,4'-oxybis[benzoyl chloride] (9CI) (CA INDEX NAME)

CM 1

CRN 16523-28-7 CMF C13 H14 N2 O2

$$HO$$
 NH_2
 NH_2
 OH

CRN 7158-32-9 CMF C14 H8 C12 O3

CM 3

CRN 99-63-8 CMF C8 H4 Cl2 O2

RN 680620-21-7 HCA

CN 1,4-Cyclohexanedicarbonyl dichloride, polymer with 4,4'-oxybis[benzoyl chloride], 3a,4,7,7a-tetrahydro-4,7-methanoisobenzofuran-1,3-dione and 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]bis[2-aminophenol] (9CI) (CA INDEX NAME)

CM 1

CRN 83558-87-6 CMF C15 H12 F6 N2 O2

$$CF_3$$
 CF_3
 OH
 NH_2
 NH_2

CRN 13170-66-6 CMF C8 H10 Cl2 O2

CM 3

CRN 7158-32-9 CMF C14 H8 C12 O3

CM 4

CRN 826-62-0 CMF C9 H8 O3

RN 680620-22-8 HCA

CN Hexanedicyl dichloride, polymer with 4,4'-oxybis[benzoyl chloride], 3a,4,7,7a-tetrahydro-4,7-methanoisobenzofuran-1,3-dione and 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]bis[2-aminophenol] (9CI) (CA INDEX NAME)

CM 1

CRN 83558-87-6 CMF C15 H12 F6 N2 O2

CM 2

CRN 7158-32-9 CMF C14 H8 C12 O3

CM 3

CRN 826-62-0 CMF C9 H8 O3

CRN 111-50-2 CMF C6 H8 C12 O2

RN 680620-23-9 HCA CN Hexanedical dich

Hexanedioyl dichloride, octafluoro-, polymer with 4,4'-oxybis[benzoyl chloride], 3a,4,7,7a-tetrahydro-4,7-methanoisobenzofuran-1,3-dione and 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]bis[2-aminophenol] (9CI) (CA INDEX NAME)

CM 1

CRN 83558-87-6 CMF C15 H12 F6 N2 O2

$$CF_3$$
 CF_3
 OH
 NH_2
 NH_2

CM 2

CRN 7158-32-9 CMF C14 H8 C12 O3

CRN 826-62-0 CMF C9 H8 O3

CM 4

CRN 336-06-1 CMF C6 C12 F8 O2

RN 680620-24-0 HCA

Poly[iminocarbonyl-1,3-phenylenecarbonylimino(6-hydroxy-1,3-phenylene)[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene](4-hydroxy-1,3-phenylene)], .alpha.-[5-[1-[3-[[(3-carboxybicyclo[2.2.1]hept-5-en-2-yl)carbonyl]amino]-4-hydroxyphenyl]-2,2,2-trifluoro-1-(trifluoromethyl)ethyl]-2-hydroxyphenyl]-.omega.-[[(3-carboxybicyclo[2.2.1]hept-5-en-2-yl)carbonyl]amino]-(9CI) (CA INDEX NAME)

RN 680620-25-1 HCA

CN Poly[iminocarbonyl-1,3-phenylenecarbonylimino(6-hydroxy-1,3-phenylene)methylene(4-hydroxy-1,3-phenylene)], .alpha.-[5-[[3-[[3,5-bis(trifluoromethyl)benzoyl]amino]-4-hydroxyphenyl]methyl]-2-hydroxyphenyl]-.omega.-[[3,5-bis(trifluoromethyl)benzoyl]amino]-(9CI) (CA INDEX NAME)

PAGE 1-A

$$_{\rm CF_3}^{\rm HO}$$
 $_{\rm CH_2}^{\rm OH}$ $_{\rm OH}^{\rm O}$ $_{\rm C}^{\rm OH}$ $_{\rm CH_2}^{\rm OH}$ $_{\rm CH_2}^{\rm OH}$ $_{\rm CH_2}^{\rm OH}$ $_{\rm CH_2}^{\rm OH}$

$$CF_3$$
 CH_2
 $NH-C$
 CF_3
 CF_3

RN 680620-26-2 HCA
CN Poly[oxy(4-hydroxy-1,3-phenylene)iminocarbonyl-1,3-phenylenecarbonylimino(6-hydroxy-1,3-phenylene)],

.alpha.-[3-[[(3-carboxybicyclo[2.2.1]hept-5-en-2-yl)carbonyl]amino]-4-hydroxyphenyl]-.omega.-[3-[[(3-carboxybicyclo[2.2.1]hept-5-en-2-yl)carbonyl]amino]-4-hydroxyphenoxy]- (9CI) (CA INDEX NAME)

PAGE 1-A

RN 680620-27-3 HCA

CN Poly[sulfonyl(4-hydroxy-1,3-phenylene)iminocarbonyl-1,3-phenylenecarbonylimino(6-hydroxy-1,3-phenylene)],
.alpha.-[3-[[(2Z)-3-carboxy-1-oxo-2-propenyl]amino]-4-hydroxyphenyl].omega.-[[3-[[(2Z)-3-carboxy-1-oxo-2-propenyl]amino]-4-hydroxyphenyl]sulfonyl]- (9CI) (CA INDEX NAME)

RN 680620-28-4 HCA

CN Poly[iminocarbonyl-1,3-phenylenecarbonylimino(4,4'-dihydroxy[1,1'-biphenyl]-3,3'-diyl)], .alpha.-[3'-[[(2Z)-3-carboxy-1-oxo-2-propenyl]amino]-4,4'-dihydroxy[1,1'-biphenyl]-3-yl]-.omega.-[[(2Z)-3-carboxy-1-oxo-2-propenyl]amino]- (9CI) (CA INDEX NAME)

PAGE 1-B

RN 680620-29-5 HCA

CN 1,3-Benzenedicarbonyl dichloride, polymer with 3,3'-diamino[1,1'-biphenyl]-4,4'-diol and 4,4'-oxybis[benzoyl chloride] (9CI) (CA

INDEX NAME)

CM 1

CRN 7158-32-9 CMF C14 H8 C12 O3

CM 2

CRN 4194-40-5 CMF C12 H12 N2 O2

$$_{\mathrm{NH}_{2}}^{\mathrm{OH}}$$

CM 3

CRN 99-63-8 CMF C8 H4 C12 O2

RN 680620-30-8 HCA

CN Benzoyl chloride, 4,4'-oxybis-, polymer with 4,4'-sulfonylbis[benzoyl chloride] and 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]bis[2-aminophenol] (9CI) (CA INDEX NAME)

CRN 83558-87-6 CMF C15 H12 F6 N2 O2

CM 2

CRN 7158-32-9 CMF C14 H8 C12 O3

CM 3

CRN 4462-61-7 CMF C14 H8 C12 O4 S

RN 680620-31-9 HCA

CN [1,1'-Biphenyl]-4,4'-dicarbonyl dichloride, polymer with 4,4'-oxybis[benzoyl chloride] and 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]bis[2-aminophenol] (9CI) (CA INDEX

NAME)

CM 1

CRN 83558-87-6

CMF C15 H12 F6 N2 O2

HO
$$CF_3$$
 CF_3 OH NH_2

CM 2

CRN 7158-32-9 CMF C14 H8 C12 O3

CM 3

CRN 2351-37-3 CMF C14 H8 C12 O2

RN 680620-32-0 HCA

CN Benzoyl chloride, 4,4'-(1-methylethylidene)bis-, polymer with 4,4'-oxybis[benzoyl chloride] and 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]bis[2-aminophenol] (9CI) (CA INDEX

NAME)

CM 1

CRN 83558-87-6

CMF C15 H12 F6 N2 O2

$$CF_3$$
 CF_3
 CF_3

CM 2

CRN 19855-84-6 CMF C17 H14 C12 O2

CM 3

CRN 7158-32-9 CMF C14 H8 C12 O3

RN 680620-33-1 HCA

CN Benzoyl chloride, 4,4'-methylenebis-, polymer with 4,4'-oxybis[benzoyl chloride] and 4,4'-[2,2,2-trifluoro-1-

(trifluoromethyl)ethylidene]bis[2-aminophenol] (9CI) (CA INDEX NAME)

CM 1

CRN 83558-87-6 CMF C15 H12 F6 N2 O2

$$CF_3$$
 CF_3
 CF_3
 OH
 NH_2
 NH_2

CM 2

CRN 7158-32-9 CMF C14 H8 C12 O3

CM 3

CRN 3268-26-6 CMF C15 H10 C12 O2

RN 680620-34-2 HCA

CN Benzoyl chloride, 4,4'-oxybis-, polymer with 3,3'-[1,3-phenylenebis(oxy)]bis[benzoyl chloride] and 4,4'-[2,2,2-trifluoro-1-

 $\begin{tabular}{ll} (trifluoromethyl) ethylidene] bis [2-aminophenol] (9CI) & (CA INDEX NAME) \end{tabular}$

CM 1

CRN 83558-87-6 CMF C15 H12 F6 N2 O2

$$CF_3$$
 CF_3
 CF_3

CM 2

CRN 74294-29-4 CMF C20 H12 C12 O4

CM 3

CRN 7158-32-9 CMF C14 H8 C12 O3

RN 680620-35-3 HCA

CN [1,1':4',1'':4'',1'''-Quaterphenyl]-4,4'''-dicarbonyl dichloride, polymer with 4,4'-oxybis[benzoyl chloride] and 4,4'-[2,2,2-trifluoro-

1-(trifluoromethyl)ethylidene]bis[2-aminophenol] (9CI) (CA INDEX NAME)

CM 1

CRN 83558-87-6 CMF C15 H12 F6 N2 O2

$$CF_3$$
 CF_3
 CF_3
 OH
 NH_2
 NH_2

CM 2

CRN 55586-27-1 CMF C26 H16 C12 O2

CM 3

CRN 7158-32-9 CMF C14 H8 C12 O3

RN 680620-36-4 HCA

CN Poly[iminocarbonyl-1,4-cyclohexanediylcarbonylimino(6-hydroxy-1,3-phenylene)[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene](4-hydroxy-1,3-phenylene)], .alpha.-[5-[1-[3-[[(3-carboxybicyclo[2.2.1]hept-5-en-2-yl)carbonyl]amino]-4-hydroxyphenyl]-2,2,2-trifluoro-1-(trifluoromethyl)ethyl]-2-hydroxyphenyl]-.omega.-[[(3-carboxybicyclo[2.2.1]hept-5-en-2-yl)carbonyl]amino]- (9CI) (CA INDEX NAME)

CF3 OH O NH-C HO2C

RN 680620-37-5 HCA
CN Poly[imino(1,6-dioxo-1,6-hexanediyl)imino(6-hydroxy-1,3-phenylene)[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene](4-hydroxy-1,3-phenylene)], .alpha.-[5-[1-[3-[[(3-carboxybicyclo[2.2.1]hept-5-en-2-yl)carbonyl]amino]-4-hydroxyphenyl]-2,2,2-trifluoro-1-(trifluoromethyl)ethyl]-2-hydroxyphenyl]-.omega.-[[(3-carboxybicyclo[2.2.1]hept-5-en-2-yl)carbonyl]amino]- (9CI) (CA INDEX NAME)

RN 680620-39-7 HCA

CN 1,3-Benzenedicarbonyl dichloride, polymer with 4,4'-oxybis[benzoyl chloride] and 4,4'-sulfonylbis[2-aminophenol] (9CI) (CA INDEX NAME)

CM 1

CRN 7545-50-8 CMF C12 H12 N2 O4 S

CM 2

CRN 7158-32-9 CMF C14 H8 C12 O3

CM 3

CRN 99-63-8 CMF C8 H4 Cl2 O2

RN 680620-40-0 HCA

CN 1,4-Cyclohexanedicarbonyl dichloride, polymer with 4,4'-oxybis[benzoyl chloride] and 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]bis[2-aminophenol] (9CI) (CA INDEX NAME)

CM 1

CRN 83558-87-6 CMF C15 H12 F6 N2 O2

CM 2

CRN 13170-66-6 CMF C8 H10 C12 O2

CM 3

CRN 7158-32-9

CMF C14 H8 C12 O3

RN 680620-41-1 HCA

CN Hexanedioyl dichloride, polymer with 4,4'-oxybis[benzoyl chloride] and 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]bis[2-aminophenol] (9CI) (CA INDEX NAME)

CM 1

CRN 83558-87-6 CMF C15 H12 F6 N2 O2

CM 2

CRN 7158-32-9 CMF C14 H8 C12 O3

CM 3

CRN 111-50-2 CMF C6 H8 C12 O2

RN 680620-42-2 HCA
CN Hexanedioyl dichloride, octafluoro-, polymer with 4,4'-oxybis[benzoyl chloride] and 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]bis[2-aminophenol] (9CI) (CA INDEX NAME)

CM 1

CRN 83558-87-6 CMF C15 H12 F6 N2 O2

HO
$$CF_3$$
 CF_3 OH NH_2 NH_2

CM 2

CRN 7158-32-9 CMF C14 H8 C12 O3

CM 3

CRN 336-06-1 CMF C6 Cl2 F8 O2

RN 748806-62-4 HCA

CN 1,3-Benzenedicarbonyl dichloride, polymer with 4,4'-thiobis[2-aminophenol] (9CI) (CA INDEX NAME)

CM 1

CRN 22445-97-2 CMF C12 H12 N2 O2 S

CM 2

CRN 99-63-8 CMF C8 H4 C12 O2

29186-74-1DP, terminated by maleic acid anhydride
29186-76-3DP, terminated by perfluorobenzoic acid chloride
29186-77-4DP, terminated by 5-norbornane-2,3-dicarboxylic
acid anhydride 29791-91-1DP, terminated by maleic acid
anhydride 37165-14-3DP, terminated by 3,5trifluoromethylbenzoic acid chloride 112492-59-8DP,
2,2-Bis(3-amino-4-hydroxyphenyl)hexafluoropropane-isophthalic acid
chloride copolymer, terminated by 5-norbornane-2,3-dicarboxylic acid
anhydride 174407-77-3DP, terminated by
5-norbornane-2,3-dicarboxylic acid anhydride 257280-04-9DP
, terminated by 5-norbornane-2,3-dicarboxylic acid anhydride

500372-81-6DP, terminated by 5-norbornane-2,3-dicarboxylic acid anhydride 680619-85-6P 680619-94-7P 680619-96-9P 680619-97-0P 680619-98-1P 680619-99-2P 680620-00-2P 680620-01-3P 680620-02-4P 680620-03-5P 680620-04-6P 680620-05-7P 680620-06-8P 680620-07-9P 680620-08-0P 680620-15-9P 680620-16-0P 680620-17-1P 680620-18-2DP, perfluorobenzoic acid chloride-terminated 680620-19-3DP, 3,5trifluoromethylbenzoic acid chloride-terminated 680620-21-7P 680620-22-8P 680620-23-9P 680620-24-0P 680620-25-1DP, terminated by 3,5-trifluoromethylbenzoic acid chloride 680620-26-2P 680620-27-3P 680620-28-4P 680620-29-5DP, terminated by 5-norbornane-2,3-dicarboxylic acid anhydride 680620-29-5DP , terminated by maleic anhydride 680620-30-8DP, terminated by 5-norbornane-2,3-dicarboxylic acid anhydride 680620-31-9DP, terminated by 5-norbornane-2,3-dicarboxylic acid anhydride 680620-32-0DP, terminated by 5-norbornane-2,3-dicarboxylic acid anhydride 680620-33-1DP , terminated by 5-norbornane-2,3-dicarboxylic acid anhydride 680620-34-2DP, terminated by 5-norbornane-2,3-dicarboxylic acid anhydride 680620-35-3DP, terminated by 5-norbornane-2,3-dicarboxylic acid anhydride 680620-36-4P 680620-37-5P 680620-38-6P 680620-39-7DP, terminated by 5-norbornane-2,3-dicarboxylic acid anhydride 680620-40-0DP, terminated by 5-norbornane-2,3-dicarboxylic acid anhydride 680620-41-1DP, terminated by 5-norbornane-2,3-dicarboxylic acid anhydride 680620-42-2DP , terminated by 5-norbornane-2,3-dicarboxylic acid anhydride 748806-62-4DP, terminated by perfluorobenzoic acid chloride (pos. type photosensitive plastic material for making optical waveguide)

- L48 ANSWER 4 OF 13 HCA COPYRIGHT 2004 ACS on STN
 140:243585 Positive-working light-sensitive resin composition for forming relief pattern for semiconductor device fabrication and method for heat-resistant coating using the same. Hiro, Masahiko; Minegishi, Tomonori; Katogi, Shigeki (Hitachi Chemical Du Pont Micro System Co., Ltd., Japan). Jpn. Kokai Tokkyo Koho JP 2004077551 A2 20040311, 20 pp. (Japanese). CODEN: JKXXAF. APPLICATION: JP 2002-233932 20020809.
- AB The title compn. contains a polyoxazole precursor and amine-imide generating a base compd. by heat. The compn. shows the efficient generation of tertiary base by heat and generates oxazoles at low temp.
- IT 668990-71-4DP, reaction product with polyamide (amine-imide in pos.-working light-sensitive resin compn.)

RN 668990-71-4 HCA CN Tricyclo[3.3.1.11

Tricyclo[3.3.1.13,7]decane-1,3-dicarboxylic acid, polymer with 4,4'-oxybis[benzoic acid] and 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]bis[2-aminophenol] (9CI) (CA INDEX NAME)

CM 1

CRN 83558-87-6 CMF C15 H12 F6 N2 O2

CM 2

CRN 39269-10-8 CMF C12 H16 O4

CM 3

CRN 2215-89-6 CMF C14 H10 O5

IT 668990-71-4DP, reaction product with polyamide (amine-imide in pos.-working light-sensitive resin compn.)

L48 ANSWER 5 OF 13 HCA COPYRIGHT 2004 ACS on STN

139:330069 Production method of plastic optical waveguide. Miyao, Kenji (Sumitomo Bakelite Co., Ltd., Japan). Jpn. Kokai Tokkyo Koho JP 2003294967 A2 20031015, 19 pp. (Japanese). CODEN: JKXXAF. APPLICATION: JP 2002-93102 20020328.

The invention relates to a plastic optical waveguide made of polybenzoxazole derived from the precursor represented by (NH-X(OR1)(OR2)-NH-CO-Y1-CO)m(NH-X(OR3)(OR4)-NH-CO-Y2-CO)n [m > 0, n .gtoreq. 0, 2 < m + n .ltoreq. 1000, and 0.05 .ltoreq. m/(m + n) .ltoreq. 1; R1-4 = H or monovalent org. groups].

IT 613224-09-2P

(prodn. method of plastic optical waveguide)

RN 613224-09-2 HCA

CN 1,4-Cyclohexanedicarbonyl dichloride, polymer with 4,5'-diamino-2',6-bis(trifluoromethyl)[1,1'-biphenyl]-3,4'-diol and 4,4'-oxybis[benzoyl chloride] (9CI) (CA INDEX NAME)

CM 1

CRN 438202-24-5 CMF C14 H10 F6 N2 O2

CM 2

CRN 13170-66-6 CMF C8 H10 C12 O2

CRN 7158-32-9 CMF C14 H8 C12 O3

IT 613224-09-2P

(prodn. method of plastic optical waveguide)

L48 ANSWER 6 OF 13 HCA COPYRIGHT 2004 ACS on STN
139:277708 Polybenzoxazole-based electrically insulating materials, their varnish, heat-resistant porous insulator films, and semiconductor devices having them. Hase, Yoko; Enoki, Naoshi (Sumitomo Bakelite Co., Ltd., Japan). Jpn. Kokai Tokkyo Koho JP 2003/277508 A2 20031002, 24 pp. (Japanese). CODEN: JKXXAF. APPLICATION: JP 2002-87069 20020326.

The insulating materials are manufd. by reacting (A) polyamides ABhaving branches, which are formed by reacting bisaminophenols and trifunctional carboxylic acids selected from trimellitic acid, trimesic acid, 1,3,5-cyclohexanetricarboxylic acid, and biphenyl ether-3,3',5-tricarboxylic acid, and (B) oligomers having functional groups reactive to carboxy, amino, or OH groups in the polyamides. The polyamides have repeating units of [NHX(OH)2NHCOYCO]m and [NHX (OH) 2NHCOZCO]n [X = tetravalent groups based on benzene, biphenyl, fluorene, etc.; Y = biphenylenylene, acetylene-contg. phenylene, biphenylene, naphthylene, cyclohexylene, etc.; Z = phenylene, biphenylene, fluorenylene, cyclohexylene, etc.; m >0; n .gtoreq.0; m + n = 2-1000; m/(m + n) = 0.05-1]. Thus, 3,3'-diamino-4,4'-dihydroxybiphenyl, trimesic acid trichloride, 5-phenylethynylisophthalic acid, and 5-ethynylisophthalic acid were polymd., reacted with polypropylene glycol bis(2-aminopropyl) ether, dissolved in N-methyl-2-pyrrolidone, applied on an Al-deposited Si wafer, baked, and heated for forming micropores by decompg. polyoxyalkylene portions to give a porous polybenzoxazole film showing dielec. const. 1.90, Tg >450.degree., and water absorption 0.2%.

IT 605624-37-1P 605624-39-3P

(heated for micropore formation; polybenzoxazole-based insulating materials for heat-resistant porous insulator films)

RN 605624-37-1 HCA

CN 1,3-Benzenedicarboxylic acid, 5-ethynyl-, polymer with .alpha.-(2-aminomethylethyl)-.omega.-(2-aminomethylethoxy)poly[oxy(methyl-1,2-ethanediyl)], 1,3,5-cyclohexanetricarbonyl trichloride, 3,3'-diamino[1,1'-biphenyl]-4,4'-diol and 5-(phenylethynyl)-1,3-benzenedicarboxylic acid (9CI) (CA INDEX NAME)

CM 1

CRN 432025-99-5 CMF C16 H10 O4

HO₂C
$$\longrightarrow$$
 C \longrightarrow C \longrightarrow Ph

CM 2

CRN 432025-97-3 CMF C10 H6 O4

CM 3

CRN 29305-31-5 CMF C9 H9 Cl3 O3

CRN 9046-10-0

CMF (C3 H6 O)n C6 H16 N2 O

CCI IDS, PMS

$$H_2N-CH_2-CH_2-O-CH_2-CH_2-CH_2-NH_2$$

CM 5

CRN 4194-40-5

CMF C12 H12 N2 O2

RN 605624-39-3 HCA

CN 1,3,5-Cyclohexanetricarbonyl trichloride, polymer with alpha.-(2-aminomethylethyl)-.omega.-(2-aminomethylethoxy)poly[oxy(methyl-1,2-ethanediyl)], 3,3'-diamino[1,1'-biphenyl]-4,4'-diol and 4,4'-(1,2-

ethynediyl)bis[benzoyl chloride] (9CI) (CA INDEX NAME)

CM 1

CRN 29305-31-5 CMF C9 H9 Cl3 O3

CM 2

CRN 16819-44-6 CMF C16 H8 Cl2 O2

$$C1-C$$

$$C = C$$

$$C-C1$$

$$0$$

CM 3

CRN 9046-10-0

CMF (C3 H6 O)n C6 H16 N2 O

CCI IDS, PMS

$$H_2N-CH_2-CH_2-O-CH_2-CH_2-CH_2-NH_2$$

2 (D1-Me)

CRN 4194-40-5 CMF C12 H12 N2 O2

IT 605624-37-1P 605624-39-3P

(heated for micropore formation; polybenzoxazole-based insulating materials for heat-resistant porous insulator films)

L48 ANSWER 7 OF 13 HCA COPYRIGHT 2004 ACS on STN

139:237730 Positive-working photosensitive resin compositions containing polyimide or polyoxazole precursors, pattern formation using them, and electronic devices having the pattern. Minegishi, Tomonori (Hitachi Chemical Du Pont Micro System Co., Ltd., Japan). Jpn. Kokai Tokkyo Koho JP 2003/248/314 A2 20030905, 12 pp. (Japanese). CODEN: JKXXAF. APPLICATION: JP 2002-48025 20020225.

The compns., which show high sensitivity and good resoln. and provides a cured film with high mech. strength and heat resistance, contain (A) polyimide or polyoxazole precursors which contain (a) heat-polymerizable functional groups at the terminals and (b) OR (R = acid-decomposable monovalent org. group to be converted into H atom) or CO2R attached to arom. ring and (B) radiation-sensitive acid generators.

IT 593272-62-9P 593272-65-2P 593278-83-2P

(pos.-working photoresist compns. contg. heat polymerizable group-terminated polyimide or polyoxazole precursors having acid-decomposable group for protective film or interlayer insulating film for electronic devices)

RN 593272-62-9 HCA

CN Poly[oxy-1, 4-phenylenecarbonylimino(6-hydroxy-1, 3-phenylene)[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene](4-hydroxy-1,3-phenylene)iminocarbonyl-1,4-phenylene], .alpha.-[4-[[[5-[1-[3-[(3-carboxybicyclo[2.2.1]hept-5-en-2-yl)carbonyl]amino]-4-hydroxyphenyl]-2,2,2-trifluoro-1-(trifluoromethyl)ethyl]-2-hydroxyphenyl]amino]carbonyl]phenyl]-.omega.-[4-[[[5-[1-[3-[[(3-carboxybicyclo[2.2.1]hept-5-en-2-yl)carbonyl]amino]-4-hydroxyphenyl]-2,2,2-trifluoro-1-(trifluoromethyl)ethyl]-2-hydroxyphenyl]amino]carbonyl]phenoxy]-, homopolymer (9CI) (CA INDEX

NAME)

1 CM

CRN 361347-08-2

(C29 H18 F6 N2 O5)n C62 H46 F12 N4 O13 CMF

CCI

PAGE 1-A

PAGE 1-C

RN 593272-65-2 HCA
CN Poly[iminocarbonyltricyclo[3.3.1.13,7]decane-1,3-diylcarbonylimino(6-hydroxy-1,3-phenylene)[2,2,2-trifluoro-1 (trifluoromethyl)ethylidene](4-hydroxy-1,3-phenylene)],
 .alpha.-[5-[1-[3-[[(3-carboxybicyclo[2.2.1]hept-5-en-2-yl)carbonyl]amino]-4-hydroxyphenyl]-2,2,2-trifluoro-1 (trifluoromethyl)ethyl]-2-hydroxyphenyl]-.omega.-[[(3-carboxybicyclo[2.2.1]hept-5-en-2-yl)carbonyl]amino]-, homopolymer
 (9CI) (CA INDEX NAME)

CM 1

CRN 593272-64-1

CMF (C27 H24 F6 N2 O4)n C33 H28 F6 N2 O8

CCI PMS

PAGE 1-A

PAGE 2-A

RN 593278-83-2 HCA

CN

Poly[oxy-1,4-phenylenecarbonylimino(6-hydroxy-1,3-phenylene)[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene](4-hydroxy-1,3-phenylene)iminocarbonyl-1,4-phenylene], .alpha.-[4-[[[5-[1-[3-[[2-carboxy(phenylethynyl)benzoyl]amino]-4-hydroxyphenyl]-2,2,2-

trifluoro-1-(trifluoromethyl)ethyl]-2-hydroxyphenyl]amino]carbonyl]phenyl]-.omega.-[4-[[[5-[1-[3-[[2-carboxy(phenylethynyl)benzoyl]amino]-4-hydroxyphenyl]-2,2,2-trifluoro-1-(trifluoromethyl)ethyl]-2-hydroxyphenyl]amino]carbonyl]phenoxy]-, homopolymer (9CI) (CA INDEX NAME)

CM 1

CRN 593278-82-1

CMF (C29 H18 F6 N2 O5)n C76 H46 F12 N4 O13

CCI IDS, PMS

PAGE 1-A

2 (
$$Ph-C \equiv C-D1$$
)

PAGE 1-C

IT 593272-62-9P 593272-65-2P 593278-83-2P

(pos.-working photoresist compns. contg. heat polymerizable group-terminated polyimide or polyoxazole precursors having acid-decomposable group for protective film or interlayer insulating film for electronic devices)

L48 ANSWER 8 OF 13 HCA COPYRIGHT 2004 ACS on STN
138:354926 Electrically insulating films, materials and coating
varnishes for them, and semiconductor devices. Oki, Hiromi;
Nakashima, Michio; Hase, Yoko; Izumi, Atsushi (Sumitomo Bakelite
Co., Ltd., Japan). Jpn. Kokai Tokkyo Koho JP 2003128990 A2
20030508, 25 pp. (Japanese). CODEN: JKXXAF. APPLICATION: JP
2001-331959 20011030.

Elec. insulating films, useful as interlayer dielec. films for AB multilayer wiring boards or surface protective layers for semiconductors, have fine pores and comprise resin layers mainly comprising polybenzoxazole structures, prepd. by thermal condensation and crosslinking reactions of materials or varnishes contg. film-forming polyamide copolymers prepd. by reaction of polyamides [NHX (OH) 2NHCOYCO] m [NHX (OH) 2NHCOZCO] n [R1-R4 = H, monovalent org. group; X = arom. ring-contg. tetravalent group; Y = divalent group; Z = divalent group (structures of X, Y, and Z are given); m >0; n .gtoreq.0; 2 .ltoreq. m + n .ltoreq. 1000; 0.05 .ltoreq. m/(m + n) .ltoreq. 1] having branched structures prepd. from bisaminophenols and polybasic carboxylic acids, with reactive oligomers having substituents reactive towards carboxyl, amino, or OH groups in the polyamide structures. Thus, 2,2-bis(3-amino-4hydroxyphenyl) hexafluoropropane 35.9, trimesic acid trichloride 0.53, and 4-ethynyl-2,6-naphthalenedicarboxylic acid dichloride 27.7 g were polymd. in N-methyl-2-pyrrolidone (NMP), the reaction mixt. was mixed with Et3N, and stirred with a .gamma.-butyrolactone soln. contg. 4-aminobenzoate ester-terminated styrene oligomer (Mn 9600; prepn. given) to give a copolymer contg. 37% reactive oligomer units, which was dissolved in NMP, applied on an Al-deposited Si wafer, dried at 120.degree. for 240 s, heated at 300.degree. for 60 min under N to form a film of a polybenzoxazole having styrene oligomer units at the terminals, and heated at 400.degree. for 60 min for decompn. of the oligomer units to form a polybenzoxazole film having .ltoreq.15-nm pores, dielec. const. (at 1 MHz) 2.1, heat

resistance 563.degree., Tg >450.degree., and water absorption 0.2%. An electrode pattern was formed on the polybenzoxazole film by vapor deposition of Al.

IT 519142-94-0P

(thermally decompd., polybenzoxazole; elec. insulating polybenzoxazole films having fine pores prepd. by heating of copolymers from branched polyamides and reactive oligomers for semiconductor devices)

RN 519142-94-0 HCA

CN 1,3,5-Cyclohexanetricarbonyl trichloride, polymer with alpha.-(2-aminopropyl)-.omega.-(2-aminopropoxy)poly[oxy(methyl-1,2-ethanediyl)], 4,4'-(1,2-ethynediyl)bis[benzoyl chloride] and 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]bis[2-aminophenol] (9CI) (CA INDEX NAME)

CM 1

CRN 83558-87-6 CMF C15 H12 F6 N2 O2

CM 2

CRN 29305-31-5 CMF C9 H9 Cl3 O3

CRN 26403-64-5

CMF (C3 H6 O)n C6 H16 N2 O

CCI IDS, PMS

CM 4

CRN 16819-44-6 CMF C16 H8 C12 O2

$$C1-C$$

$$C = C$$

$$C-C1$$

$$0$$

$$0$$

IT 519142-94-0P

(thermally decompd., polybenzoxazole; elec. insulating polybenzoxazole films having fine pores prepd. by heating of copolymers from branched polyamides and reactive oligomers for semiconductor devices)

L48 ANSWER 9 OF 13 HCA COPYRIGHT 2004 ACS on STN

136:103176 Photo-sensitive polybenzoxazole precursor resins and alkali-developable compositions useful for lithographic patterning containing them. Kaneda, Takayuki; Kimura, Masashi; Kanaya, Ryuichiro (Asahi Chemical Industry Co., Ltd., Japan). Jpn. Kokai Tokkyo Koho JP 2002012665 A2 200201157 21 pp. (Japanese). CODEN: JKXXAF. APPLICATION: JP 2000-335097 20001101. PRIORITY: JP 2000-130480 20000428.

The resins are obtained from the reaction products of a polyamide bearing OH groups partially with OCN(CH2)mOCOC(R1):CR2R3 (R1-3 = H, C1-3 aliph. groups; m = 2-10), and used in compns. contg. photoinitiators, crosslinkers and diluents for neg.-working photoresists in patterning of semiconductor devices. Thus, condensing 2,2-bis(3-amino-4-hydroxyphenyl)hexafluoropropane with 4,4'-diphenyl ether dicarboxylic acid dichloride, end-blocking the resulting polyamide with phthalic anhydride, purifying, and reacting

the blocked product with 2-isocyanatoethyl methacrylate (at an amt. equiv. to 40 mol% of OH groups on the product) gave a polybenzoxazole precursor 100 parts of which was combined with tetraethylene glycol dimethacrylate 40, 1-phenyl-propanedione-2-(o-benzoyl) oxime 6, Michler's ketone 2, 3-aminopropyltrimethoxysilane 6, N-nitrosodiphenylamine 0.1 and N-methyl-2-pyrrolidone 230 parts to give a neg.-working photoresist with good light curability and developing property by alkali.

389104-95-4P, 2,2-Bis(3-amino-4-hydroxyphenyl)hexafluoropropane-4,4'-diphenyl ether dicarboxylic acid dichloride copolymer polyamide sru, terminated with cyclohexane-1,2-dicarboxylic anhydride, carbamate ester with 2-isocyanatoethyl methacrylate

(photo-sensitive polybenzoxazole precursor resins and alkali-developable compns. useful for lithog. patterning contg. them)

RN 389104-95-4 HCA

CN Poly[oxy-1,4-phenylenecarbonylimino(6-hydroxy-1,3-phenylene)[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene](4-hydroxy-1,3-phenylene)iminocarbonyl-1,4-phenylene], .alpha.-[4-[[[3-[1-[3-[[(2-carboxycyclohexyl)carbonyl]amino]-4-hydroxyphenyl]-2,2,2-trifluoro-1-(trifluoromethyl)ethyl]-6-hydroxyphenyl]amino]carbonyl]phenyl]-.omega.-[4-[[[3-[1-[3-[[(2-carboxycyclohexyl)carbonyl]amino]-4-hydroxyphenyl]-2,2,2-trifluoro-1-(trifluoromethyl)ethyl]-6-hydroxyphenyl]amino]carbonyl]phenoxy]-, [2-[(2-methyl-1-oxo-2-propenyl)oxy]ethyl]carbamate (9CI) (CA INDEX NAME)

CM 1

CRN 389078-02-8 CMF (C29 H18 F6 N2 O5)n C60 H50 F12 N4 O13 CCI PMS

PAGE 1-A

PAGE 1-B

HO----

PAGE 1-C

CM 2

CRN 96571-20-9 CMF C7 H11 N O4

IT 389078-02-8P

(photo-sensitive polybenzoxazole precursor resins and alkali-developable compns. useful for lithog. patterning contg. them)

RN 389078-02-8 HCA

CN Poly[oxy-1,4-phenylenecarbonylimino(6-hydroxy-1,3-phenylene)[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene](4-hydroxy-1,3-phenylene)iminocarbonyl-1,4-phenylene],.alpha.-[4-[[[5-[1-[3-[[(2-carboxycyclohexyl)carbonyl]amino]-4-hydroxyphenyl]-2,2,2-trifluoro-1-(trifluoromethyl)ethyl]-2-hydroxyphenyl]amino]carbonyl]phenyl]-.omega.-[4-[[[5-[1-[3-[[(2-carboxycyclohexyl)carbonyl]phenyl]-4-hydroxyphenyl]-2,2,2-trifluoro-1-(trifluoromethyl)ethyl]-2-hydroxyphenyl]amino]carbonyl]phenoxy]- (9CI) (CA INDEX NAME)

PAGE 1-A

PAGE 1-C

IT 389104-95-4P, 2,2-Bis(3-amino-4-hydroxyphenyl)hexafluoropropane-4,4'-diphenyl ether dicarboxylic acid dichloride copolymer polyamide sru, terminated with cyclohexane-1,2-dicarboxylic anhydride, carbamate ester with 2-isocyanatoethyl methacrylate

(photo-sensitive polybenzoxazole precursor resins and alkali-developable compns. useful for lithog. patterning contg. them)

IT 389078-02-8P

(photo-sensitive polybenzoxazole precursor resins and alkali-developable compns. useful for lithog. patterning contg. them)

L48 ANSWER 10 OF 13 HCA COPYRIGHT 2004 ACS on STN

135:258211 Organic insulating film with good electric-insulating and heat-resistant properties and film made from the same. Hase, Yoko; Enoki, Naoshi; Oki, Hiromi (Sumitomo Bakelite Co., Ltd., Japan).

Jpn. Kokai Tokkyo Koho JP 2001261829 A2 20010926, 9 pp. (Japanese) CODEN: JKXXAF. APPLICATION: JP 2000-77077 20000317.

The film is made by the reaction of a diaminophenol, an org. compd. having d value of 3-10, and a dicarboxylic acid; and ring-closing reaction. Thus, a film was prepd. by the polymn. of 2,2-bis(3-amino-4-hydroxyphenyl)hexafluoropropane, trimesic acid trichloride, and 4,4'-hexafluoroisopropylidenediphenyl-1,1'-dicarboxylic acid dichloride.

IT 362484-48-8P

(org. insulating film with good elec.-insulating and heat-resistant properties and film made from the same)

RN 362484-48-8 HCA

1,3,5-Cyclohexanetricarbonyl trichloride, polymer with
4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]bis[2aminophenol] and 4,4'-[2,2,2-trifluoro-1(trifluoromethyl)ethylidene]bis[benzoyl chloride] (9CI) (CA INDEX NAME)

CRN 83558-87-6 CMF C15 H12 F6 N2 O2

CM 2

CRN 29305-31-5 CMF C9 H9 Cl3 O3

CM 3

CRN 1102-92-7 CMF C17 H8 C12 F6 O2

IT 362484-48-8P

(org. insulating film with good elec.-insulating and heat-resistant properties and film made from the same)

L48 ANSWER 11 OF 13 HCA COPYRIGHT 2004 ACS on STN 130:359295 Positive-working photosensitive resin composition containing polybenzoxazole precursor. Saito, Hideki; Murayama, Mitsumoto; Nakajima, Michio (Sumitomo Bakelite Co., Ltd., Japan). Jpn. Kokai Tokkyo Koho JP 11119426 A2 19990430 Heisei, 9 pp. (Japanese). CODEN: JKXXAF. APPLICATION: JP 1997-280696 19971014.

* STRUCTURE DIAGRAM TOO LARGE FOR DISPLAY - AVAILABLE VIA OFFLINE PRINT *

The title resin compn. contains a polybenzoxazole precursor I or (QNHCOR'CONH)s(QNHCOR"CONH)t [n = 2-100; s, t = 1-99; R, R', R" = II [X = CMe2, CMeCF3, C(CF3)2, CMePh, CPhCF3, CPh2, SiMe2, SiPh2, SiMePh, SO2, CO, CO2, O, S], p-C6H4C6H4-p, naphthylene, phenylene, (CF2)o, (CH2)p, (o, p = 4-20), cyclohexylene, III, (CH2)q(SiY2O)rSiY2(CH2)q (q, r = 1-20; Y = alkyl or Ph); Q = IV] and a reactant of diazo compd. V or VI with phenol compds. as a photosensitive diazonaphthoquinone compd. The compn. shows improved adhesion to substrate and high transparency.

IT 224585-07-3P

(pos. photoresist compn. contg. polybenzoxazole precursor and naphthoquinonediazide compd.)

RN 224585-07-3 HCA

CN 1,4-Cyclohexanedicarbonyl dichloride, polymer with 4,4'-sulfonylbis[2-aminophenol] and 4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]bis[benzoyl chloride] (9CI) (CA INDEX NAME)

CM 1

CRN 13170-66-6 CMF C8 H10 Cl2 O2

CRN 7545-50-8 CMF C12 H12 N2 O4 S

CM 3

CRN 1102-92-7 CMF C17 H8 C12 F6 O2

IT 224585-07-3P

(pos. photoresist compn. contg. polybenzoxazole precursor and naphthoquinonediazide compd.)

L48 ANSWER 12 OF 13 HCA COPYRIGHT 2004 ACS on STN
128:168187 Aromatic polyamides containing phenolic OH with low moisture absorption. Kiyohara, Osamu; Taruishi, Chihiro (Tomoegawa Paper Co., Ltd., Japan). Jpn. Kokai Tokkyo Koho JP 10025341 A2 19980127 Heisei, 14 pp. (Japanese). CODEN: JKXXAF. APPLICATION: JP 1996-181029 19960710.

GΙ

$$Q^{1} = R^{3}$$

$$R^{2}$$

$$Q^2 = Q^3 = Q^3$$

$$Q^4 = -0 - C(CF_3)_2 - C(CF_$$

The polyamides, useful for heat-resistance improvers or adhesion enhancers, satisfy intrinsic viscosity (.eta.) 0.1-3.0 dL/g and are consist of 5-95 mol% CORCONHR1NH and 5-95 mol% COLCONHR1NH [R = tetrafluorophenyl, decafluorocyclohexane; L = C6H3(OH); R1 = Q1, Q2, Q3 [R2 = single bond, C(CF3)2, Q4]; R3 = H, CF3, Me, OH]. Thus, 1.821 g 5-hydroxyisophthalic acid was reacted with 2.401 g tetrafluoroisophthalic acid and 6.53 g 4,4'-diaminooctafluorobiphenyl at 120.degree. to give polyamide showing .eta. (at 30.degree., in 0.5-g/dL dimethylacetamide soln.) 0.70 dL/g and moisture absorption 0.8%.

IT 202394-73-8P

(fluoromonomer-copolymd. arom. polyamides contg. phenolic OH with low moisture absorption)

RN 202394-73-8 HCA

CN 1,2-Benzenedicarboxylic acid, 4-hydroxy-, polymer with 1,2,3,3,4,4,5,5,6,6-decafluoro-1,2-cyclohexanedicarboxylic acid and 3,3'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]bis[6-aminophenol] (9CI) (CA INDEX NAME)

CM 1

CRN 202394-72-7 CMF C8 H2 F10 O4

CRN 22428-25-7 CMF C15 H12 F6 N2 O2

CM 3

CRN 610-35-5 CMF C8 H6 O5

IT 202394-73-8P

(fluoromonomer-copolymd. arom. polyamides contg. phenolic OH with low moisture absorption) $\,$

L48 ANSWER 13 OF 13 HCA COPYRIGHT 2004 ACS on STN
125:277261 Design, preparation and characterization of thermotropic liquid crystal polyamides. Alder, P.; Dolden, J. G. (BP Res. Centre, Middlesex, TW16 7LN, UK). High Performance Polymers, 8(3),

433-444 (English) 1996. CODEN: HPPOEX. ISSN: 0954-0083. Publisher: Institute of Physics Publishing.

In this paper, the authors set out to synthesize novel amorphous wholly arom. and semi-arom. thermotropic polyamides. As cryst. arom. polyamides are normally infusible, it was necessary to ensure that the target polyamides were amorphous with a definable softening point below their temp. of decompn. The 'Symmetry Index' approach first developed by Dolden was used to ensure that the chosen monomer compns. were able to produce amorphous polyamides. Aharoni has reported that three amide linked arom. rings is the min. unit size needed to obtain mesogenic polyamides. Building on this principle, a new empirical predictive technique called the 'Mesogenic Index' is introduced and combined with the Symmetry Index to predict polyamides which are both amorphous and thermotropic. This approach was validated by the prepn. of a whole new series of thermotropic amorphous polyamides which were based on 3,3'-dimethoxybenzidine, and the acid chlorides of terephthalic, isophthalic and adipic Furthermore, this led on to the prepn. of two more series of amorphous polyamides, believed by the authors to be the first wholly arom. thermotropic polyamides to be reported, based on 3,3'-dimethoxy and 3,3'-dimethyl benzidine in conjunction with a variety of arom. and cyclic diacids.

IT 182953-87-3P

AB

(design and prepn. and characterization of thermotropic liq.-cryst. polyamides)

RN 182953-87-3 HCA

CN 1,3-Benzenedicarboxylic acid, polymer with trans-1,4-cyclohexanedicarboxylic acid and 3,3'-dimethoxy[1,1'-biphenyl]-4,4'-diamine (9CI) (CA INDEX NAME)

CM 1

CRN 619-82-9 CMF C8 H12 O4

Relative stereochemistry.

CM 2

CRN 121-91-5

CMF C8 H6 O4

CM 3

CRN 119-90-4 CMF C14 H16 N2 O2

IT 182953-87-3P

(design and prepn. and characterization of thermotropic liq.-cryst. polyamides)